


**FEIN. Powered by  
innovation.**



FEIN Marine range


- ▶ FEIN MULTIMASTER MARINE TOP
- ▶ FEIN MARINE POWERPOLISHER
- ▶ FEIN Eccentric Sander
- ▶ FEIN DUSTEX 25 + 40

## **The FEIN Marine range**



# CONTENTS

Contents	Page	Contents	Page
INTERIOR OUTFITTING		SETS AND MACHINES	
▶ Installations	4	▶ FEIN MULTIMASTER MARINE TOP	10
▶ Interior outfitting	5	▶ FEIN SUPERCUT MARINE	11
MAINTENANCE		▶ FEIN MARINE POWERPOLISHER	12
▶ Cleaning	6	▶ FEIN Eccentric Sander	13
▶ Polishing and sealing	7	▶ FEIN DUSTEX 25 + 40	14
▶ Light sanding and sanding down for antifoul	7	ACCESSORIES	15–18
REPAIRS AND REFIT			
▶ Preparing paintwork	8		
▶ Renovating teak decks	9		
▶ Repairs on fibreglass and wooden boats	9		



# Thousands of successful projects to its credit. The first choice for interior outfitting, maintenance and repairs on yachts.

With three long-lasting, high-performance power tools and an optimum range of accessories, FEIN offers a practical system that professionals have relied on for decades. The system components, which have proved themselves in tough, everyday industrial use, cover all important applications. By opting for the FEIN Marine range, you can keep equipment and fittings state-of-the-art. Professional, cost-effective boat repairs and maintenance also significantly reduce the loss in value of your vessel.

The FEIN Marine range – an application from FEIN, the premium manufacturer of professional and highly reliable power tools.

On the following pages you can discover for yourself the capabilities of the FEIN Marine range. Enjoy!

## Interior outfitting



When it comes to technical installations on boats or complete interior outfitting jobs, the robust FEIN MULTIMASTER MARINE TOP is in its element.

Turn to page 4 to find out more


## Maintenance



For a flawless finish and value retention – the FEIN MARINE POWERPOLISHER and FEIN care products show you what professional system maintenance is all about.

Turn to page 6 to find out more

## Repairs and refit



The FEIN MULTIMASTER MARINE TOP and the powerful eccentric sander MSf 636-1 will save you considerable time in many essential applications.

Turn to page 8 to find out more



## Do you want your boat to reflect the state-of-the-art? With the FEIN Marine range, installation and conversion jobs are plain sailing!

The equipment and fittings on a yacht or boat need to be kept state-of-the-art over long periods or adjusted to meet the owners' changing requirements. And to do that you need tools that last just as long. The FEIN MULTIMASTER MARINE TOP is the universal system for all materials. It features a highly robust saw which is equally happy to tackle wood, fibreglass, carbon fibre-reinforced plastic, plastics or sheet metal. Combined with the right accessories, the resilient FEIN MULTIMASTER MARINE TOP saws completely plane to the surface,

in any desired direction. It cuts into the material like a mortise chisel, requiring no free space behind the workpiece. Consequently, it works very cleanly with the minimum amount of dust. The FEIN MULTIMASTER MARINE TOP is equally flexible when it comes to cutting length, handling distances from 10 mm to infinity – there are no limits!

### ► INSTALLATIONS

#### Sawing – accurate to the millimetre



The FEIN MULTIMASTER MARINE TOP is just the job for precise cut-outs of 10 mm edge length or more in wood, plastic, fibreglass or sheet metal. Here you can see a cut-out being made for an appliance switch in 10 mm thick fibreglass.

Order number  
6 35 02 159 01 0

#### Clean finish



With the Carbide-File you can achieve a perfectly filed and deburred finish for cut-outs and apertures.

Order number  
6 37 06 017 01 0

#### Installation of electrical equipment



The FEIN MULTIMASTER MARINE TOP is the perfect assistant when it comes to installing electrical or electronic equipment. The M-CUT saw blade is also available in a width of 30 mm for larger cut-outs.

Order number  
6 37 02 157 01 0

#### Filing radii



With the Carbide-File it's easy to finish round cut-outs in wood or fibreglass.

Order number  
6 37 06 017 01 0



## ► INTERIOR OUTFITTING

### Precise sawing even in corners



With the E-CUT saw blades, the FEIN MULTIMASTER MARINE TOP creates precise holes for routing cables, heating conduits and pipes.

Order number  
6 35 02 152 01 0

### With depth stop



The supplied depth stop prevents damage to the foam core and is really worth the investment when it comes to replacing swollen balsa wood cores.

You will find accessories under **Sawing/Filing** on page 15.

### Perfection in outfitting



Perfect results: whenever space is tight, that's when the FEIN MULTIMASTER MARINE TOP, for example with the E-CUT saw blade, comes into its own.

Order number  
6 35 02 152 01 0

### Larger sawing jobs



The round HSS saw blade achieves perfect, clean cuts (1.0 mm wide), without cracking or damage. It produces very little dust. Also ideal for larger sawing jobs in fiberglass or wood.

Order number  
6 35 02 154 01 0

## Want your boat to be in tiptop condition for winter storage? The FEIN Marine range will maintain its long-term value.

With the FEIN MARINE POWERPOLISHER, all-year cleaning, polishing and sealing jobs are simplicity itself – every time. With its sophisticated gearbox it has considerably more torque and power than virtually any competing product. The preselected polishing speed is accurately maintained at any level of load. It is optimally complemented

by the FEIN MULTIMASTER MARINE TOP for machining all tight or hard-to-reach areas. And with the ideally coordinated range of FEIN care products for machine processing, you'll achieve outstanding results in record time while treating surfaces gently.

### ► CLEANING

#### Removing dirt



Remove fouling and stains quickly and easily with the FEIN bristle fleece and boat cleaner.

You will find accessories under **Cleaning** and **Care** on pages 17/18.

#### Fibreglass anti-slip structures



Clean and polish tricky anti-slip structures on boat decks gently yet thoroughly with the bristle fleece and the FEIN MARINE POWERPOLISHER.

Order number  
6 37 23 033 01 0

#### Cleaning or polishing



#### Working on the inside



The triangular bristle fleece is also ideal for polishing and cleaning inside boats, in shower cabins and in bathrooms.

Order number  
6 37 23 031 01 0

For rapid, perfect results when cleaning and polishing. The FEIN MULTIMASTER MARINETOP with triangular bristle fleece restores a brilliant shine to surfaces such as fibreglass anti-slip structures, even in tight spots and around fittings.

Order number  
6 37 23 031 01 0





## ► POLISHING

### Polishing painted surfaces



Achieve perfect results with the FEIN boat polish system: no blooming, no holograms and easy-to-wipe surfaces – even on hot painted surfaces when working in the sun.

Order number  
6 37 23 035 01 0

### Perfect polishing



When polishing painted surfaces (steel boats), the polishing pad and lambskin cloth make for top-notch results.

You will find accessories under **Cleaning** on page 17.

### Polishing the boat deck



Restore a radiant shine to hard-to-reach places and anti-slip structures on the deck in the twinkling of an eye with a felt polishing pad and the MULTIMASTER MARINE TOP.

Order number  
6 37 23 032 01 0

### Polishing metal surfaces



Metal surfaces like stainless steel railings, chrome-plated winches and aluminium fittings polish up beautifully with the felt polishing pad.

Order number  
6 37 23 032 01 0

## ► SEALING

### Surface sealing



The FEIN nano-sealing system achieves extremely resilient and high-gloss protection.

Order number  
6 37 26 024 01 0

## ► ANTIFOULING

### Sanding down coats of antifoul products



With the supplied backing pad and extractor hood, the tough FEIN MARINE POWERPOLISHER is ideal for light sanding and sanding down coats of antifoul products while producing minimal levels of dust.

## Want to get your boat shipshape again in no time? Manage repairs quickly and efficiently with the robust FEIN Marine range.

No matter what kind of damage a boat has sustained or how it happened, the FEIN Marine range offers the optimum repair system even in the toughest continual use in the boatyard. It has been perfectly optimised for the most important repair applications. The FEIN MULTIMASTER MARINE TOP can easily cut down the time required for teak deck repairs by up to 80%. When it comes to sawing and

scraping work, the FEIN MULTIMASTER MARINE TOP has an impressive service record, too. For paintwork preparation we also recommend the extremely powerful FEIN eccentric sander MSf 636-1. Whatever the job in hand, you can be sure of one thing: the resilient FEIN Marine range gives you the help you need – and saves a lot of time!

### ► PREPARING PAINTWORK



#### Repainting boats

When preparing to repaint boats, the FEIN eccentric sander MSf 636-1 is an alternative you can rely on for decades to come. With its unequalled eccentric stroke of 8.4 mm, unique dust extraction system, and the hole pattern on the inside and outer edge of the backing pad, the FEIN eccentric sander achieves an outstanding sanding pattern and very high sanding capacity – and it's almost 100% dust-free.

#### Sanding off paint or wood



Wood needs a lot of care and a new coat of paint at regular intervals. This requires regular sanding prior to repainting, and this is where the FEIN eccentric sander and the FEIN MARINE POWERPOLISHER are an investment that pay for themselves several times over.

#### Sanding coats of antifoul product with the eccentric sander



With its outstanding power and perfect dust extraction, the FEIN eccentric sander is also ideal for sanding coats of antifoul product.





## ► RENOVATING TEAK DECKS

### Cutting out joint compounds



The FEIN MULTI<sup>MASTER</sup> MARINE TOP with cutter blade: the quick, thorough way to remove deck joint compounds. Cuts working time by 80% or more.

You will find accessories under **Cutting** on page 15.

### Levelling excess material



Use the rigid stopping knife to quickly and precisely trim down excess polyurethane joint material. This saves a lot of time and effort later when it comes to sanding down the teak deck.

Order number  
6 39 03 178 01 7

### Reworking teak deck joints



The carbide tipped segment saw blade is ideal for reworking joints in teak decks.

Order number  
6 35 02 118 01 6

### Sanding down the deck



The FEIN MULTI<sup>MASTER</sup> MARINE TOP is one of the best and most powerful endurance machines for sanding down decks. The FEIN MULTI<sup>MASTER</sup> MARINE Top produces outstanding results in every corner.

Order number  
6 38 06 153 02 2

## ► REPAIRS ON FIBREGLASS AND WOODEN BOATS

### Precision sawing



Fibreglass laminate that has been damaged by a collision or coming into contact with the bottom can be precisely removed with the long-life HSS saw blade and the foam core exposed so you can optimally prepare for rebuilding the material.

Order number  
6 35 02 154 01 0

### Replacing timber planking




To repair individual planks, the resilient Universal E-CUT saw blade is used like a mortise chisel. With a cutting depth of up to 60 mm, you can replace even thick planks on large boats.

Order number  
6 35 02 152 01 0

# FEIN MULTIMASTER MARINE TOP – the resilient universal system for interior outfitting, maintenance and repairs.

Every FEIN MULTIMASTER MARINE TOP is the result of 40 years of experience in oscillation technology – that pays for itself over and over. With its oscillating movement and wide range of accessories, the FEIN MULTIMASTER MARINE TOP is an unbeatably versatile, high-precision tool for all key applications required by boatyards, fitters, boat dealers, charter companies and boat owners.



### Metal drive head


All gearbox parts are made of metal and the bearings are high-quality ball or needle roller bearings.

### QuickIN tool clamping system

For maximum operating convenience.

### Oscillation angle 1.6°

Up to 21 000 oscillations per minute



### Speed regulation

Select exactly the right speed for the job.

### Soft grip zone

For optimum handling.

## FEIN MULTIMASTER MARINE TOP Set



- ▶ 1 FEIN MULTIMASTER FMM 250 Q with QuickIN tool clamping system in sturdy plastic case
- ▶ 1 sanding pad with plastic backing plate
- ▶ Sanding sheets, 5 each of grain 60, 80, 120, 180, unperforated
- ▶ 1 dust extraction device
- ▶ 1 perforated sanding pad
- ▶ Sanding sheets, 5 each of grain 60, 80, 120, 180, perforated for extraction
- ▶ 1 saw and file set with M-Cut SB narrow (10 mm), wide (20 mm) and carbide cross-stroke file

### Technical data

Power / consumption	250 watts
Power / output	130 W
Oscillations / min.	11,000 – 21,000
Amplitude	2 × 1.6 degrees
Cable	5 m
Weight	1.4 kg
Tool mounting	QuickIN star

- ▶ 1 Universal E-Cut saw blade 44 mm wide, stepped
- ▶ 1 HSS saw blade, round, Ø 100 mm with depth stop
- ▶ 1 carbide tipped segment saw blade
- ▶ 1 rigid scraper / stopping knife
- ▶ Teak deck cutter blades, 4 mm and 5 mm wide (1 of each size)
- ▶ 2 bristle fleece
- ▶ 3 felt polishing pads


Order number

7 229 37 54

# FEIN SUPERCUT MARINE – all the power you need

In addition to the capabilities of the FEIN MULTIMASTER MARINE TOP, the FEIN SUPERCUT MARINE has a higher motor rating and more powerful oscillating motion. This allows the reliable system to deliver even more performance, particularly with more difficult sawing work. This makes the FEIN SUPERCUT MARINE ideal for larger yacht boatyards and repair firms carrying out a lot of sawing work on fibreglass, carbon fibre-reinforced plastic or wood.

## Performance comparison



### Metal drive head


Ball and needle roller bearings for maximum quality.

### QuickIN tool clamping system

For maximum operating convenience.

### Oscillation angle 2.0°

Up to 18 500 oscillations per minute.



### Speed regulation

Select exactly the right speed for the job.



## Set FEIN SUPERCUT MARINE



- ▶ 1 FEIN SUPERCUT FSC 2.0 Q with QuickIN tool clamping system in sturdy plastic case
- ▶ 1 sanding pad with plastic mounting plate
- ▶ Sanding sheets, 5 each of grain 60, 80, 120, 180
- ▶ 1 dust extraction device
- ▶ 1 perforated sanding pad
- ▶ Sanding sheets, perforated for extraction, 5 each of grain 60, 80, 120, 180
- ▶ 1 M-Cut saw blade, 10 mm wide
- ▶ 1 M-Cut saw blade, 30 mm wide

### Technical data

Power / consumption	400 watts
Power / output	220 watts
Oscillations / min.	11,000 – 18,500
Amplitude	2 × 2 degrees
Cable with plug	5 m
Weight	1.4 kg
Tool mounting	QuickIN 12-sided

- ▶ 1 cross-stroke file, carbide-tipped
- ▶ 1 Universal E-Cut saw blade 44 mm wide, stepped
- ▶ 1 HSS saw blade, Ø 100 mm with depth stop
- ▶ 1 carbide tipped saw blade
- ▶ 1 rigid scraper / stopping knife
- ▶ Teak deck cutter blades, 4 mm and 5 mm wide (1 of each size)
- ▶ 2 bristle fleece
- ▶ 3 felt polishing pads

### Order number

7 236 36 55



# FEIN MARINE POWERPOLISHER – for brilliant results in boat maintenance.

Enduring power to save you time when cleaning, polishing, sealing or sanding: The FEIN MARINE POWERPOLISHER keeps boats in good repair in record time. The supplied backing pad with extractor hood allows this tool to be used as a sander for wood, paint and in particular antifoul. This makes the FEIN MARINE POWERPOLISHER the perfect endurance tool for boat maintenance – for boatyards, maintenance services, boat dealers, charter companies and boat owners.



### Sophisticated gearbox

Thanks to its double reduction with bevel and planetary gears, the FEIN MARINE POWERPOLISHER delivers almost unlimited power – even at low speeds.



### Speed control

Speed can be selected between 500 rpm and 1,500 rpm – the selected speed remains constant in all load situations.

### Soft start function

Reduces the current consumption when the tool is started up, for smooth operation even with lower rated power supply systems.

### Removable handle cover

Additional handle can be fitted on the left or right. The operator can work with or without the handle cover according to preference.

### Ergonomic shape

Particularly ergonomic shape so you can work comfortably and without fatigue.

### Spindle lock

Spindle lock for convenient interchanging of backing pad.

### Metal drive head

Metal drive head for maximum professional quality.

## FEIN MARINE POWERPOLISHER



FEIN MARINE POWERPOLISHER as a sander with extractor hood



### Technical data

Power / consumption	1,200 watts
Power / output	750 watts
Idling speed	500 – 1,500 rpm
Tool mounting	M 14
Cable with plug	4 m
Weight	2.4 kg
Polishing pad Ø	250 mm

- ▶ 1 FEIN POWERPOLISHER WPO 14-15 E with handle cover and additional side handle in sturdy plastic case
- ▶ 1 x support plate 170 mm
- ▶ 1 x polishing pad
- ▶ 1 x lamb's wool, dome shape 235 mm
- ▶ 1 x extractor hood
- ▶ 1 x backing pad, perforated
- ▶ 2 x sanding fleece for antifoul
- ▶ 1 x bristle fleece
- ▶ Sanding sheets 150 mm, perforated, 2 each of grain 80, 150, 180

**Order number**

**7 221 48 50**

## FEIN eccentric sander MSf 636-1 – for enduring high power and flawless sanding performance.

The MSf 636-1 isn't just highly robust. With an eccentric stroke of 8.4 mm, it also offers better material removal than the vast majority of eccentric sanders. The large stroke also creates a very even, smooth surface, the optimum starting point for applying high-quality paint coatings to fibreglass or wooden boats. The FEIN eccentric sander MSf 636-1 is especially suitable for boatyards that paint boats and yachts.

### Very good handling

Thanks to slimline motor.

### Metal drive head

Metal drive head for maximum professional quality.

### Maximum sanding capacity

Plus optimum sanding pattern thanks to unusually large eccentric motion (8.4 mm stroke).

### Perfect dust extraction

Thanks to hole pattern on inside and outer edge of backing pad.



### FEIN eccentric sander



#### The only sander with peripheral extraction

Optimum dust extraction thanks to eight suction holes inside the backing pad and additional suction openings on the outside.

#### Technical data

Power / consumption	380 watts
Idling speed	7500 rpm
Stroke	8.4 mm
Suction hose connection Ø	32 mm
Tool mounting	M 14
Cable with plug	5 m
Weight	1.7 kg
Backing pad Ø	150 mm

- ▶ 1 FEIN eccentric sander MSf 636-1
- ▶ 1 eccentric head Ø 150 mm
- ▶ 1 backing pad, medium, Ø 150 mm
- ▶ 1 protective hood
- ▶ 1 set of keys

Order number

7 220 78

# FEIN DUSTEX – 2 dust extractors + 1 idea = clean work.

The powerful dust extractors of the FEIN DUSTEX range are the ideal complement to the power tools of the FEIN Marine range with their low levels of dust production. The convenient automatic on/off function switches these professional and exceptionally quiet wet/dry dust extractors on and off via the switch on the connected power tool.

FEIN DUSTEX dust extractors also feature a soft start function which reduces the start-up current to avoid unnecessarily tripping lower

rated fuses. The equipment of the FEIN DUSTEX dust extractor has also been optimised for maritime use. The 5 m long suction hose and 6 m power cable allow a comfortable working range. In addition to the connecting parts for FEIN power tools, the machine is also supplied with a universal power tool adapter for other manufacturers' products. For general cleaning purposes inside and outside boats, an upholstery, crevice and floor nozzle are also included along with extension tubes.

### Automatic on/off

Switched on/off via the power tool for high operating convenience.

### Powerful

Powerful yet very quiet dust extractor with electronic suction control.

### Complete accessories

Upholstery, crevice and floor nozzle with extension tubes.

### Suction control

The suction can be electronically reduced for cleaning upholstery and other interior cleaning tasks.

### Soft start function

Electronically regulated start-up current prevents tripping of lower rated fuses.

### Long range

5 m long suction hose and 6 m long power cable – ideal for use on boat and boat hulls.

### Compatible

Ideal partner for FEIN power tools; comes with adapter for other manufacturers' products.



## FEIN DUSTEX 25 + 40

Technical data	DUSTEX 25	DUSTEX 40
Power / consumption	1,300 watts	1,500 watts
Air flow rate	3,300 l/min	3,600 l/min
Max. vacuum	230 m/bar	270 m/bar
Tank volume	24 l	35 l
Max. connected rating	2,000 watts	2,000 watts
Weight	7 kg	9 kg
Cable with plug	6 m	6 m
Suction hose	5 m	5 m

- ▶ 1 FEIN DUSTEX 25
- ▶ 1 x 5 m suction hose
- ▶ 1 adapter for FEIN power tools
- ▶ 1 universal power tool adapter (other manufacturers' products)
- ▶ 2 extension tubes, plastic
- ▶ 1 each of crevice nozzle, upholstery nozzle, floor nozzle
- ▶ 1 filter bag

**Order number**

**9 20 2 2**



- ▶ 1 FEIN DUSTEX 40
- ▶ 1 x 5 m suction hose
- ▶ 1 adapter for FEIN power tools
- ▶ 1 universal power tool adapter (other manufacturers' products)
- ▶ 2 extension tubes, metal
- ▶ 1 each of crevice nozzle, upholstery nozzle, liquid nozzle, high-quality floor nozzle for carpets or hard floors
- ▶ 1 filter bag

**Order number**

**9 20 2 3**



# All crew accounted for. Original FEIN accessories at a glance.

The FEIN Marine range enables you to achieve optimum results in every imaginable application in boat interior outfitting, maintenance and repair. To make sure you are ideally equipped for any

job, FEIN offers you an extensive range of high-quality accessories that have been developed especially for the various applications and materials.

## ► FEIN MULTIMASTER MARINE TOP

### Sawing/filing

#### M-Cut saw blade, narrow, 8-star

For cut-outs in fibreglass, CFRP, wood and sheet metal, edge length as of 10 mm, max. cutting depth: approx. 28 mm (fibreglass, wood), in sheet metal approx. 1 mm, length 50 mm



Width	No. in pack	Order number
10 mm	2	6 35 02 159 010

#### M-Cut saw blade, wide, 8-star

For cut-outs in fibreglass, CFRP, wood and sheet metal, edge length as of 30 mm, max. cutting depth 45 mm (fibreglass, wood), in sheet metal approx. 1 mm, length 50 mm



Width	No. in pack	Order number
30 mm	2	6 35 02 157 01 0

#### Carbide file, narrow, 8-star

For deburring and filing cut-outs in fibreglass, CFRP, plastics and wood, length 50 mm



Width	No. in pack	Order number
10 mm	2	6 37 06 017 010

#### Saw and file set

Saw and file set for cut-outs in fibreglass, CFRP, wood and sheet metal. M-Cut saw blade 10 mm and 30 mm, carbide file 10 mm



No. in pack	Order number
1 of each	6 35 02 157 020

#### HSS saw blade, circular

For plastics, fibreglass, wood, putty, copper/copper alloys and sheet metal up to approx. 1 mm.



Ø	No. in pack	Order number
80 mm	1	6 35 02 097 02 7
80 mm	2	6 35 02 097 01 1
80 mm	5	6 35 02 097 05 0

#### HSS segment saw blade

For plastics, fibreglass, wood, putty, copper/copper alloys and sheet metal up to approx. 1 mm. Ideal for working in corners.



Ø	No. in pack	Order number
80 mm	1	6 35 02 106 01 5
80 mm	5	6 35 02 106 08 0

#### HSS saw blade, circular, stepped

For plastics, fibreglass, wood, putty, copper/copper alloys and sheet metal up to approx. 1 mm, level with surface.



Ø	No. in pack	Order number
85 mm	1	6 35 02 144 01 4
85 mm	5	6 35 02 144 02 0

#### Universal E-Cut saw blade, long (60 mm)

Wide range of applications thanks to bi-metal toothing. Saws wood up to 50 mm, plastics, sheet metal up to 2 mm, copper or aluminium pipes and profiles.



Width	No. in pack	Order number
29 mm	1	6 35 02 151 01 8
29 mm	3	6 35 02 151 02 0
29 mm	10	6 35 02 151 03 0

#### Universal E-Cut saw blade, long (60 mm)


Wide range of applications thanks to bi-metal toothing. Saws wood up to 50 mm, plastics, sheet metal up to 2 mm, copper or aluminium pipes and profiles.



Width	No. in pack	Order number
44 mm	1	6 35 02 152 01 0
44 mm	3	6 35 02 152 02 0
44 mm	10	6 35 02 152 03 0

#### Precision E-Cut saw blade, narrow (35 mm)

Maximum cutting speed and precision thanks to double-row JAPAN toothing. For wood up to 50 mm, plasterboard and soft plastics.



Width	No. in pack	Order number
35 mm	1	6 35 02 126 01 3
35 mm	3	6 35 02 126 03 0
35 mm	10	6 35 02 126 04 0

#### Precision E-Cut saw blade, wide (65 mm)


Maximum cutting speed and precision thanks to double-row JAPAN toothing. For wood up to 50 mm, plasterboard and soft plastics.



Width	No. in pack	Order number
65 mm	1	6 35 02 127 01 7
65 mm	3	6 35 02 127 02 0
65 mm	10	6 35 02 127 03 0

#### HSS saw blade for wood

Round HSS saw blade for wood – the 'mini circular saw' is ideal for long, straight cuts in fibreglass, CFRP and wood.



Ø	No. in pack	Order number
100 mm	1	6 35 02 154 01 0

### Sawing/filing

#### Depth stop

Suitable for all E-Cut saw blades and the HSS saw blade for wood. Only suitable for the new FEIN MULTIMASTER MARINE Top and FEIN MULTIMASTER FMM 250/250 Q.



Order number
3 26 07 065 01 0

### Removing joints

#### Carbide-tipped segment saw blade

For reworking deck joints. Also suitable for cutting out tile joints.



Ø	Order number
63 mm	6 35 02 118 01 6

### Scraping

#### Rigid stopping knife


For removing stubborn old paint, adhesive residues and remains of fouling and trimming polyurethane joints.



Order number
6 39 03 178 01 7

#### Flexible stopping knife

For removing silicone or acrylic fillers in bathrooms and labels.



Order number
6 39 03 165 01 3

### Cutting

#### Deck renovation cutter blade

For cutting out panelled deck sealant materials rapidly and safely. Also for problem areas such as cabins, rails, gunwales, cleats and curves.



Blade width	No. in pack	Order number
3 mm	1	6 39 03 200 01 7
4 mm	1	6 39 03 201 01 6
5 mm	1	6 39 03 202 01 9

## ACCESSORIES

### ► FEIN MULTIMASTER and FEIN SUPERCUT

#### Sanding

**Set of sanding pads, plastic**  
With plastic backing plate to avoid marks.



**No. in pack** 2  
**Order number** 6 38 06 153 02 2

**Sanding sheet set**  
For universal application on practically all surfaces. Corundum sanding grains, fully bonded with artificial resins guarantee high sanding capacity. Sanding sheets, unperforated, with hook and loop fastening, 10 each of grain 60, 80, 120, 180, 240.



**Order number** 6 37 17 082 03 3

**Sanding sheets**  
Unperforated, with hook and loop fastening. For universal application on practically all surfaces.



Grain	Pack of 5 Order no.	Pack of 50 Order no.
80	6 37 17 ...	6 37 17 ...
100	... 083 04 3	... 083 01 5
120	... 084 04 1	... 084 01 3
150	... 085 04 5	... 085 01 7
180	... 087 04 2	... 087 01 4
220	... 088 04 0	... 088 01 2
240	... 089 04 4	... 089 01 6
36	... 086 04 8	... 086 01 0
40	... 081 04 6	... 081 01 8
60	... 082 04 9	... 082 01 1

Grain	Pack of 5 Order no.	Pack of 50 Order no.
80	6 37 17 ...	6 37 17 ...
100	... 083 04 3	... 083 01 5
120	... 084 04 1	... 084 01 3
150	... 085 04 5	... 085 01 7
180	... 087 04 2	... 087 01 4
220	... 088 04 0	... 088 01 2
240	... 089 04 4	... 089 01 6
36	... 086 04 8	... 086 01 0
40	... 081 04 6	... 081 01 8
60	... 082 04 9	... 082 01 1

**Sanding pad set, perforated**  
For sanding with dust extraction, pack of 2.



**No. in pack** 2  
**Order number** 6 38 06 136 02 9

**Sanding sheet set**  
Sanding sheets, perforated for dust extraction, with hook and loop fastening, 10 each of grain 60, 80, 120, 180, 240.



**Order number** 6 37 17 109 03 5

**Sanding sheets, perforated**  
For sanding with dust extraction. For universal application on practically all surfaces. Corundum sanding grains, fully bonded with artificial resins guarantee high sanding capacity. From grain 36 to 280.



**Profile sanding set**  
Includes 1 holder and 6 different profiles: 1 x V-form for 90° angle, 1 x trapezium form for tongue-and-groove connections, 1 x for straight profiles, 1 x convex form (large), 1 x concave and 1 convex form (small) and sanding sheets, 5 each of grain 80, 120 and 180



**Order number** 6 38 06 183 01 3

**Sandpaper for profile sanding set**  
For practically all materials, e.g. wood, metal, paint and plastics.



Grain	No. in pack	Order number
80	25	6 37 17 217 01 6
120	25	6 37 17 218 01 4
180	25	6 37 17 219 01 8

Grain	Pack of 5 Order no.	Pack of 50 Order no.	Grain	Pack of 5 Order no.	Pack of 50 Order no.
36	6 37 17 ...	6 37 17 ...	180	6 37 17 ...	6 37 17 ...
40	... 107 04 9	... 107 01 1	220	... 114 04 7	... 114 01 9
60	... 108 04 7	... 108 01 9	240	... 115 04 1	... 115 01 3
80	... 109 04 1	... 109 01 3		... 116 04 4	... 116 01 6
100	... 110 04 3	... 110 01 5			
120	... 111 04 2	... 111 01 4			
150	... 112 04 5	... 112 01 7			
	... 113 04 9	... 113 01 1			

#### Cleaning/polishing/waxing

**Cleaning bristle fleece**  
Bristle fleece for cleaning boat decks or cleaning / polishing anti-slip structures. Goes with sanding pad 6 38 06 153 02 2.



**No. in pack** 2  
**Order number** 6 37 23 031 01 0

**Felt polishing pad**  
Felt polishing pad for polishing boat decks (gelcoat), chrome, stainless steel, aluminium, copper and copper alloys. Goes with sanding pad 6 38 06 153 02 2 or 6 38 06 129 02 6 Triangular polishing fleece with black tricot.



**No. in pack** 5  
**Order number** 6 37 23 032 01 0

#### General accessories

**Table and drill jig fixing**  
Perfect for precision cut-outs: the FEIN MULTIMASTER can be clamped to a table or workbench and the workpiece can be advanced safely to the tool. It is also possible to clamp the tool in commercially available drill jigs with a 43 mm collar diameter – the FEIN MULTIMASTER can be delivered via the mechanism with millimetre precision. Only suitable for the new FEIN MULTIMASTER MARINE TOP or FMM 250 / 250 Q.



**Order number** 9 26 02 083 01 0

### ► FEIN SUPERCUT

#### Sawing/filing

**HSS saw blade**  
With fine teeth for precise cutting. For plastics, fibreglass, wood, copper/copper alloys and sheet metal up to 1 mm.



Ø	No. in pack	Order number
63 mm	2	6 35 02 102 01 6
80 mm	2	6 35 02 103 01 0

**HSS saw blade**  
For fibreglass, plastics, wood, copper/copper alloys and sheet metal up to 1 mm. Stepped shape permits work flush to the surface.



Ø	No. in pack	Order number
85 mm	1	6 35 02 145 01 8
100 mm	1	6 35 02 137 01 6

**HSS saw blade**  
Round HSS saw blade – the mini circular saw is ideal for long, straight cuts in fibreglass, CFRP and wood.



Ø	No. in pack	Order number
100 mm	1	6 35 02 153 01 0

**HSS saw blade**  
HSS saw blade, 100mm diameter in set with depth stop.



Ø	No. in pack	Order number
100 mm	1	3 26 07 062 04 0

**E-Cut universal sanding sheets**  
With bi-metal teeth, stepped, also suitable for radii, high cutting speed, sheet metal (400 N/mm<sup>2</sup>) up to approx. 2 mm, aluminium profiles, copper pipes, wood, plaster-board, and almost all plastics. Length 60 mm.




Width	No. in pack	Order number
28 mm	1	6 35 02 147 01 5
28 mm	5	6 35 02 147 02 1
28 mm	25	6 35 02 147 03 7



Width	No. in pack	Order number
44 mm	1	6 35 02 148 01 3
44 mm	5	6 35 02 148 02 9
44 mm	25	6 35 02 148 03 5

**E-Cut precision saw blades**  
Double-row original Japan toothing, for high-precision cuts, maximum cutting speed and clean cutting edges, especially in wood. Length 50 mm.



Width	No. in pack	Order number
35 mm	1	6 35 02 119 01 0
35 mm	5	6 35 02 119 04 8
35 mm	25	6 35 02 119 03 2



Width	No. in pack	Order number
65 mm	1	6 35 02 122 01 4
65 mm	5	6 35 02 122 04 2
65 mm	25	6 35 02 122 03 6

► FEIN SUPERCUT

Sawing/filing

**M-Cut saw blade, narrow, 12-sided**

For cut-outs in fibreglass, CFRP, wood and sheet metal, edge length as of 10 mm, max. cutting depth: approx. 28 mm (fibreglass, wood), in sheet metal approx. 1 mm, length 50 mm.



**Width No. in pack Order number**  
10 mm 2 6 35 02 158 01 0

**M-Cut saw blade, wide, 12-sided**

For cut-outs in fibreglass, CFRP, wood and sheet metal, edge length as of 30 mm, max. cutting depth: approx. 28 mm (fibreglass, wood), in sheet metal approx. 1 mm, length 50 mm.



**Width No. in pack Order number**  
30 mm 2 6 35 02 138 01 4

**Carbide file, narrow, 12-sided**

For deburring and filing cut-outs in fibreglass, CFRP, plastics and wood.



**No. in pack Order number**  
2 6 37 06 018 01 0

**Carbide-tipped saw blade**

For reworking deck joints. Also suitable for cutting out tile joints.



**Ø Order number**  
80 mm 6 35 02 155 01 0

Sawing/filing

**Depth stop**

Suitable for all E-CUT saw blades and the HSS saw blade for wood. Only suitable for the new FEIN MULTIMASTER MARINE Top and FEIN MULTIMASTER FMM 250/250 Q.



**Order number**  
3 26 07 065 01 0

Cutting

**Deck renovation cutter blade**

For cutting out panelled deck sealant materials rapidly and safely. Also for problem areas such as cabins, rails, gunwales, cleats and curves.



Blade width	No. in pack	Order number
3 mm	2	6 39 03 183 01 9
4 mm	2	6 39 03 184 01 7
5 mm	2	6 39 03 185 01 1
6 mm	2	6 39 03 186 01 4

Scraping

**Stopper knife**

For removing stubborn old paint, adhesive residues and remains of fouling and trimming polyurethane joints.



**No. in pack Order number**  
2 6 39 03 206 01 8

► FEIN POWERPOLISHER

Cleaning/polishing/waxing

**Support plate**

Extra soft support plate with hook and loop fastening for FEIN MARINE POWERPOLISHER. Ø 170 mm Foam support 20 mm



**Ø No. in pack Order number**  
170 mm 1 6 38 06 187 01 0

**Bristle fleece**

Bristle fleece for cleaning or polishing boat hulls and decks Ø 195 mm for backing pad Ø 170 mm 6 38 06 187 01 0 M14 with hook and loop fastening system. For fibreglass anti-slip structures. Recommended working speed: approx. 500 rpm.



**Ø No. in pack Order number**  
195 mm 2 6 37 23 033 01 0

**Polishing pad**

Ø 195 mm for backing pad 170 mm 6 38 06 187 01 0 M14 with hook and loop fastening system. Recommended working speed 500-1,000 rpm.



**Ø No. in pack Order number**  
195 mm 1 6 37 23 034 01 0

**Lamb's wool, dome shape**

Ø approx. 235 mm for backing pad 170 mm 6 38 06 187 01 0 M14 with hook and loop fastening system. Recommended working speed 500-1,200 rpm. Quality TOPWOOL, frisbee polishing wheel. Lamb's wool / synthetic blend, washable.



**Ø No. in pack Order number**  
230 mm 1 6 37 23 035 01 0

Sanding

**Soft backing pad**

With hook and loop fastening, Ø 150 mm with suction hole M 14. Hole circle suitable for FEIN and other sanding materials.



**Ø No. in pack Order number**  
150 mm 1 6 38 06 188 01 0

**Sanding sheets**

perforated, Ø 150 mm, with hook and loop fastening and standard hole pattern: wood, paint, filler, automotive paints, fibreglass, plastic gelcoat and finishing.



Grain	No. in pack	Order number	Grain	No. in pack	Order number
60	50	6 37 28 010 01 6	240	50	6 37 28 015 01 4
80	50	6 37 28 074 01 4	320	50	6 37 28 017 01 1
120	50	6 37 28 084 01 3	600	50	6 37 28 132 01 0
150	50	6 37 28 012 01 8	800	50	6 37 28 133 01 0
180	50	6 37 28 013 01 2	1200	50	6 37 28 134 01 0

**Sanding fleece for antifouling**

Sanding fleece for light sanding and sanding down of coats of antifouling product. Produces a stunning sanding pattern without choking the sanding fleece. Very long life.



**Ø No. in pack Order number**  
150 mm 5 6 37 32 004 01 0

**Sanding sheet set**

Includes 10 each of grain 60, 80, 120, 180, 240.



**No. in pack Order number**  
50 6 37 28 074 02 0



## ACCESSORIES

### ► FEIN eccentric sander

#### Sanding

##### Backing pad

Ø 150 mm, perforated, with hook and loop fastening.



<b>hard</b>	<b>Order number</b> 6 38 06 101 02 0	<b>soft</b>	<b>Order number</b> 6 38 06 114 02 4
<b>medium</b>	<b>Order number</b> 6 38 06 090 02 3	<b>Hook and loop fastening</b>	<b>Order number</b> 3 14 26 030 00 5

##### Sanding fleece for antifouling

Sanding fleece for light sanding and sanding down of coats of antifouling product. Produces a stunning sanding pattern without choking the sanding fleece. Very long life.



Ø	<b>No. in pack</b>	<b>Order number</b>
150 mm	5	6 37 32 004 010

##### Sanding sheets

perforated, DMR 150mm, with hook and loop fastening and standard hole pattern. Application: wood, paint, filler, automotive paints, fibreglass, plastic gel-coat and finishing. Quality: fully synthetic-resin bonded, corundum. Features: highly flexible.



Grain	No. in pack	Order number
60	50	6 37 28 010 01 6
80	50	6 37 28 074 01 4
120	50	6 37 28 084 01 3
150	50	6 37 28 012 01 8
180	50	6 37 28 013 01 2
240	50	6 37 28 015 01 4
320	50	6 37 28 017 01 1
600	50	6 37 28 132 01 0
800	50	6 37 28 133 01 0
1200	50	6 37 28 134 01 0

##### Sanding sheet set

Includes 10 each of grain 60, 80, 120, 180, 240.



<b>No. in pack</b>	<b>Order number</b>
50	6 37 28 074 02 0

### ► FEIN care products

#### General accessories

##### FEIN Boat Polish

Easy to use, achieves brilliant shine: for fibreglass / gelcoat and painted boats – optimum results even with dark colours.



<b>Contents</b>	<b>Order number</b>
500 ml	6 37 26 020 01 0

##### FEIN All-Purpose Boat Cleaner

Cleans boat hulls and decks. Also suitable for aluminium, glass, plastics and textiles.



<b>Contents</b>	<b>Order number</b>
500 ml	6 37 26 021 01 0

##### FEIN Anti-Yellowing Spray

Effortlessly removes yellow stains and algae from the water-line, as well as rust stains, easy and straightforward to apply, will not damage plastic and only a small amount required.



<b>Contents</b>	<b>Order number</b>
500 ml	6 37 26 022 01 0

##### FEIN Carnauba Wax + Cleaner

High-gloss seal with long-lasting effect: antistatic, impact-resistant, shampoo-resistant. Protects your boat like a second skin.



<b>Contents</b>	<b>Order number</b>
500 ml	6 37 26 023 01 0

##### FEIN Nano Wax + Cleaner

Hard-wearing long-term seal: antistatic, impact-resistant, shampoo-resistant. Very fine due to nanoparticles, fills in scratches, protects from the weather and UV rays.



<b>Contents</b>	<b>Order number</b>
500 ml	6 37 26 024 01 0

##### Microfibre cloth

Ideal for wiping down seals or polishes. The microfibre cloth can be used to polish sensitive surfaces without causing microscopic scratches.



<b>No. in pack</b>	<b>Order number</b>
1	6 37 33 003 01 0

### ► FEIN DUSTEX

#### General accessories

##### Filter bag for DUSTEX 25



Normal version	<b>Order number</b>
<b>No. in pack</b>	3 13 22 781 01 7
5	

Extra fine version	<b>Order number</b>
<b>No. in pack</b>	3 13 22 757 01 6
5	

##### Filter bag for DUSTEX 40



Normal version	<b>Order number</b>
<b>No. in pack</b>	3 13 22 810 01 0
5	

Extra fine version	<b>Order number</b>
<b>No. in pack</b>	3 13 22 811 01 0
5	

##### Textile long-life filter for DUSTEX 25 or 40

Alternative to filter cartridge/filter bag. Especially cost-effective as very long life and no filter bags required.

<b>Order number</b>
3 13 22 812 00 0

##### Filter cartridge



<b>Order number</b>
3 13 22 765 00 9

##### Upholstery nozzle



<b>Order number</b>
3 13 22 773 00 6

##### Suction hose

Length 5 m



Ø	<b>Order number</b>
36 mm	3 13 22 767 01 5

##### Adapter

for connecting FEIN power tools.

<b>Order number</b>
3 13 22 771 00 9

##### Universal connecting piece

Adaptable to various connection diameters, e.g. for connecting up equipment from other manufacturers.

<b>Order number</b>
3 13 22 772 00 2

##### Floor nozzle

<b>Order number</b>
3 13 22 814 00 0

##### Crevice nozzle



<b>Order number</b>
3 13 22 774 00 4

##### Metal extension tube

<b>Order number</b>
3 13 22 815 00 0



**FEIN. Powered by  
innovation.**



**Do you have any questions?  
Or would you like to try out the new FEIN Marine range?**

**Your specialist supplier will be happy to help.**

**Germany:** C. & E. FEIN GmbH, Hans-Fein-Str. 81, 73529 Schwäbisch Gmünd-Bargau  
**Great Britain:** FEIN Industrial Power Tools UK Ltd., 4 Badby Park, Heartlands Business Park, Daventry, Northants NN11 8YT, Tel. 01327 308730  
**USA:** FEIN Power Tools Inc., 1030 Alcon Street, Pittsburgh, PA 15220, Tel. 1-412-922-8886, Toll Free: 1-800-441-9878

**Canada:** FEIN Canadian Power Tool Company, 323 Traders Blvd. East, Mississauga, Ontario L4Z 2E5, Tel. 905 890-1390, Toll Free: 1-800-265-2581  
**FEIN Quebec Ltee,** 2810 De Miniac, St. Laurent, Quebec H4S 1K9, Tel. 514 331-7390, Toll Free: 1-800-789-8181

**Australia:** FEIN Power Tools Pty. Ltd., Unit 7/55 – 61 Pine Road, Yennora N.S.W. 2161; P.O. Box 328, Fairfield N.S.W. 1860, Tel. 1300 798 688

sales@fein-uk.co.uk  
[www.fein-uk.co.uk](http://www.fein-uk.co.uk)  
[www.fein.com](http://www.fein.com)